(Draft; June, 2003) (ILD 098 642 424)

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY REGION 5

RESOURCE CONSERVATION AND RECOVERY ACT (RCRA) PERMIT

Facility Name and Location:	Onyx Environmental Services, L.L.C.	
	# 7 Mobile Avenue	
	Sauget, IL 62201-1069	
Owner:	Onyx Environmental Services, L.L.C.	
	700 East Butterfield Rd.	
	Lombard, IL 60148	
Operator:	Onyx Environmental Services, L.L.C.	
_	Sauget, IL 62201-1069	
	_	
U.S. EPA Identification Number :	<u>ILD 098 642 424</u>	
Effective Date:		
Expiration Date:		

Authorized Activities:

The United States Environmental Protection Agency ("U.S. EPA") hereby issues a Resource Conservation and Recovery Act (RCRA) permit (hereinafter referred to as the "permit") to Onyx Environmental Services, L.L.C. (hereinafter referred to as the "Permittee" or addressed in the second person as "you") in connection with the hazardous waste treatment, storage, and disposal activities at #7 Mobile Avenue, Sauget, Illinois.

This permit is issued under the Solid Waste Disposal Act, as amended by the Resource Conservation and Recovery Act of 1976, and the Hazardous and Solid Waste Amendments (HSWA) of 1984 (42 USC § 6901 *et seq.*) (collectively referred to as RCRA) and U.S. EPA's regulations promulgated thereunder (codified, and to be codified, in Title 40 of the Code of Federal Regulations (40 CFR)).

Specifically, this permit addresses: (1) certain restrictions and prohibitions on land disposal of hazardous wastes in accordance with 40 CFR Part 268; (2) other federal RCRA regulations for which the state has not yet been authorized; (3) air emissions standards for tanks and containers in accordance with 40 CFR § 264.1080 *et seq.* (40 CFR Part 264, Subpart CC), and miscellaneous units under 40 CFR Part 264, Subpart X...

(Draft; June, 2003) (ILD 098 642 424)

The RCRA permit is comprised of both this permit, which contains the effective federal RCRA permit conditions, and the effective state RCRA permit conditions issued by the State of Illinois RCRA program authorized under 40 CFR Part 271 (hereinafter called the "state-issued portion of the RCRA permit"). Any hazardous waste activity, which requires a RCRA permit and is not included in the RCRA permit is prohibited.

Permit Approval:

On January 31, 1986, the State of Illinois received final authorization pursuant to Section 3006 of RCRA, 42 USC § 6926, and 40 CFR Part 271, to administer the pre-HSWA RCRA hazardous waste program. The State of Illinois has also received final authorization to administer certain additional RCRA requirements on several occasions since then. However, because the U.S. EPA has not yet authorized the State of Illinois to administer certain regulations, including the air emission standards for tanks and containers handling hazardous wastes (see 40 CFR § 264.1080 *et seq.*, also know as "Subpart CC"), recent additions to the regulations covering the land disposal restrictions (40 CFR Part 268), and changes to other sections of applicable regulations, the U.S. EPA Region 5 is issuing the RCRA permit requirements for operations at the Permittee's facility which fall under these regulations.

You must comply with all terms and conditions contained in this permit. This permit consists of all the conditions contained herein, all documents attached hereto and all documents listed or cross-referenced in these documents, approved submittals (including plans, schedules and other documents), and the applicable regulations contained in 40 CFR Parts 124, 260, 261, 262, 264, 268, 270, and applicable provisions of RCRA.

This permit is based on the assumptions that: (1) the information submitted in the Permittee's RCRA permit application dated November 6, 1997, and in any subsequent modifications to that application (hereinafter referred to as the "Application") is accurate, and (2) the facility is configured, operated and maintained as specified in the permit, and as described in the permit application.

Any inaccuracies in the submitted information may be grounds for the U.S. EPA to terminate, revoke and reissue, or modify this permit in accordance with 40 CFR §§ 270.41, 270.42 and 270.43; and for enforcement action. You must inform the U.S. EPA of any deviation from, or changes in, the information in the Application that might affect your ability to comply with the applicable regulations or conditions of this permit.

Opportunity to Appeal:

Petitions for review must be submitted within 30 days after the U.S. EPA serves notice of the final permit decision. Any person who filed comments on the draft permit or participated in the public hearing may petition the Environmental Appeals Board to review any condition of the permit decision. Any person who failed to file comments or failed to participate in the public

(Draft; June, 2003) (ILD 098 642 424)

hearing on the draft permit may file a petition for review only to the extent of the changes from the draft to the final permit decision. The procedures for permit appeals are found in 40 CFR § 124.19.

This permit is effective as of	and will remain in effect until
unless revoked and reissued under 40 CFR § 27 continued in accordance with 40 CFR § 270.51	,
By:	Date:
Phyllis A. Reed, Acting Directo Waste Pesticides and Toxics Di	

TABLE OF CONTENTS

SECTION I	-STANDARD PERMIT CONDITIONS	1
I.A	EFFECT OF PERMIT	1
I.B	PERMIT ACTIONS	1
	I.B.1 Permit Review, Modification, Revocation and Reissuance, and	
	Termination	1
	I.B.2 Permit Renewal	2
I.C	SEVERABILITY	2
I.D	DEFINITIONS	2
I.E	DUTIES AND REQUIREMENTS	2
	1.E.1 Duty to Comply	2
	I.E.2 Duty to Reapply	2
	I.E.3 Permit Expiration	3
	I.E.4 Need to Halt or Reduce Activity Not a Defense	
	I.E.5 Duty to Mitigate	
	I.E.6 Proper Operation and Maintenance	
	I.E.7 Duty to Provide Information	3
	I.E.8 Inspection and Entry	
	I.E.9 Monitoring and Records	4
	I.E.10 Reporting Planned Changes	
	I.E.11 Reporting Anticipated Noncompliance	5
	I.E.12 Certification of Construction	5
	I.E.13 Transfer of Permits	
	I.E.14 Twenty-Four Hour Reporting	6
	I.E.15 Other Noncompliance	7
	I.E.16 Other Information	
I.F	SIGNATORY REQUIREMENT	
I.G	REPORTS, NOTIFICATIONS AND SUBMISSIONS TO THE DIRECTOR	
I.H	CONFIDENTIAL INFORMATION	
I.I	DOCUMENTS TO BE MAINTAINED AT THE FACILITY	
	I.I.1 Operating Record	
	I.I.2 Notifications	
	I.I.3 Copy of Permit	9
I.J	ATTACHMENTS AND DOCUMENTS INCORPORATED BY	
	REFERENCE	
I.K	COORDINATION WITH THE CLEAN AIR ACT	. 10

(ILD 098 642 424)

SECTION II	LAND DISPOSAL RESTRICTIONS	10
II.A	General Conditions	10
II.B	Testing and Related Requirements	11
II.C	Storage Prohibitions	
II.D	Blending of Metal Wastes	
SECTION III	OTHER FEDERAL RCRA REQUIREMENTS	12
III.A	ADDITIONAL HAZARDOUS WASTE NUMBERS	12
SECTION IV	AIR EMISSION STANDARDS (40 CFR Subpart CC)	12
IV.A	Containers and Tanks	12
	IV.A.1 Waste Determination	13
	IV.A.2 Requirements for Level 1 Containers	13
	IV.A.3 Requirements for Level 1 Tanks	
	IV.A.4 Containers and Tanks Exempt From Subpart CC Control Standards	
	IV.A.5 Closed vent system and control devices (Carbon Absorption)	
IV.B	Requirements for Miscellaneous Units	
	IV.B.1 Operations of Drum and Labpack Glove Boxes	
	IV.B.2 Recordkeeping and Reporting Requirements	

SECTION I—STANDARD PERMIT CONDITIONS

LA EFFECT OF PERMIT

The RCRA permit is comprised of both this permit, which contains the effective federal RCRA permit conditions, and the effective state RCRA permit. You are hereby allowed to manage hazardous waste in accordance with this permit. Under this permit, the storage and treatment of RCRA hazardous waste must comply with all terms and conditions in this permit. Other aspects of the storage and treatment of RCRA hazardous wastes are subject to the conditions in the state-issued portion of the RCRA permit. Any hazardous waste activity, which requires a RCRA permit and is not included in this permit, is prohibited.

Subject to 40 CFR § 270.4, compliance with the RCRA permit during its term generally constitutes compliance for purposes of enforcement with Subtitle C of RCRA. (40 CFR § 270.4)

This permit does not: (1) convey any property rights or any exclusive privilege (40 CFR § 270.30(g)); (2) authorize any injury to persons or property, or invasion of other private rights; or (3) authorize any infringement of state or local law or regulations. Compliance with the terms of this permit does not constitute a defense to any order issued, or any action brought, under: (1) Sections 3008(a), 3008(h), 3013, or 7003 of RCRA; (2) Sections 104, 106(a), or 107 of the Comprehensive Environmental Response, Compensation, and Liability Act of 1980, 42 USC §§ 9601 *et seq.* (commonly known as CERCLA); or (3) any other law protecting human health, welfare, or the environment.

I.B PERMIT ACTIONS

I.B.1 Permit Review, Modification, Revocation and Reissuance, and Termination

The U.S. EPA may review and modify, revoke and reissue, or terminate this permit for cause, as specified in 40 CFR § 270.41, § 270.42, and § 270.43. The U.S. EPA may also review and modify this permit, consistent with 40 CFR § 270.41, to include any terms and conditions it determines are necessary to protect human health and the environment under Section 3005(c)(3) of RCRA. The filing of a request for a permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance on your part will not stay the applicability or enforceability of any permit condition. (40 CFR § 270.30(f))

You must not perform any construction associated with a Class 3 permit modification request until such modification request is granted and the modification becomes effective. You may perform construction associated with a Class 2 permit modification

(ILD 098 642 424)
Page 2 of 17

request beginning 60 days after submission of the request unless the Director establishes a later date. (40 CFR § 270.42(b)(8))

I.B.2 Permit Renewal

This permit may be renewed as specified in 40 CFR § 270.30(b) and Condition I.E.2 of this permit. In reviewing any application for a permit renewal, the U.S. EPA will consider improvements in the state of control and measurement technology, and changes in applicable regulations. (40 CFR § 270.30(b) and RCRA Section 3005(c)(3))

I.C SEVERABILITY

This permit's provisions are severable; if any permit provision, or the application of any permit provision to any circumstance, is held invalid, such provision's application to other circumstances and the remainder of this permit will not be affected. Invalidation of any statutory or regulatory provision on which any condition of this permit is based does not affect the validity of any other statutory or regulatory basis for that condition. (40 CFR § 124.16(a))

I.D DEFINITIONS

The terms used in this permit will have the same meaning as in 40 CFR Parts 124, 260 through 266, 268 and 270, unless this permit specifically provides otherwise. Where neither the regulations nor the permit define a term, the term's definition will be the standard dictionary definition or its generally accepted scientific or industrial meaning.

I.E DUTIES AND REQUIREMENTS

1.E.1 Duty to Comply

You must comply with all conditions of this permit, except to the extent and for the duration for which an emergency permit authorizes such noncompliance (see 40 CFR § 270.61). Any permit noncompliance, except under the terms of an emergency permit, constitutes a violation of RCRA and will be grounds for: enforcement action; permit termination; revocation and reissuance; modification; or denial of a permit renewal application. (40 CFR § 270.30(a))

I.E.2 Duty to Reapply

If you wish to continue the permit regulated activities after the expiration date, you must apply for and obtain a new permit. You must submit a complete application for a new permit at least 180 days before the permit expiration date, unless the Director grants permission for a later submittal date. The Director will not grant permission to submit

(ILD 098 642 424)
Page 3 of 17

the complete application for a new permit later than the permit's expiration date. (40 CFR §§ 270.10(h) and 270.30(b))

I.E.3 Permit Expiration

Unless revoked or terminated, this permit and all conditions herein will be effective for a fixed term not to exceed 10 years from this permit's effective date. This permit and all conditions herein will remain in effect beyond the permit's expiration date if you have submitted a timely, complete application (40 CFR § 270.10 and §§ 270.13 through 270.29), and, through no fault of your own, the Director has not made a final determination regarding permit reissuance. (40 CFR §§ 270.50 and 270.51)

I.E.4 Need to Halt or Reduce Activity Not a Defense

In an enforcement action, you are not entitled to a defense that it would have been necessary to halt or reduce the permitted activity to maintain compliance with this permit. (40 CFR § 270.30(c))

I.E.5 Duty to Mitigate

In the event of noncompliance with this permit, you must take all reasonable steps to minimize releases to the environment resulting from the noncompliance and must implement all reasonable measures to prevent significant adverse impacts on human health or the environment. (40 CFR § 270.30(d))

I.E.6 Proper Operation and Maintenance

You must always properly operate and maintain all facilities and treatment and control systems (and related appurtenances) that you install or use to comply with this permit. Proper operation and maintenance includes effective performance, adequate funding, adequate operator staffing and training, and adequate laboratory and process controls, including appropriate quality assurance/quality control procedures. This provision requires you to operate back-up or auxiliary facilities or similar systems only when necessary to comply with this permit. (40 CFR § 270.30(e))

I.E.7 Duty to Provide Information

You must provide the Director, within a reasonable time, any relevant information that the Director requests to determine whether there is cause to modify, revoke and reissue, or terminate this permit, or to determine permit compliance. You must also provide the Director, upon request, with copies of any records this permit requires. The information you must maintain under this permit is not subject to the Paperwork Reduction Act of 1980, 44 USC §§ 3501 *et seq.* (40 CFR §§ 264.74(a) and 270.30(h))

(ILD 098 642 424) Page 4 of 17

I.E.8 Inspection and Entry

Upon the presentation of credentials and other legally required documents, you must allow the Director or an authorized representative to (40 CFR § 270.30(i)):

- **I.E.8.a** Enter at reasonable times upon your premises where a regulated activity is located or conducted, or where records must be kept under the conditions of this permit;
- **I.E.8.b** Have access to and copy, at reasonable times, any records that you must keep under the conditions of this permit;
- **I.E.8.c** Inspect, at reasonable times, any facilities, equipment (including monitoring and control equipment), practices, or operations regulated or required under this permit; and
- **I.E.8.d** Sample or monitor any substances at any location at reasonable times, to ensure permit compliance or as RCRA otherwise authorizes.

Notwithstanding any provision of this permit, U.S. EPA retains the inspection and access authority which it has under RCRA and other applicable laws.

I.E.9 Monitoring and Records

- **I.E.9.a** Samples and measurements taken for monitoring purposes must be representative of the monitored activity. The methods used to obtain a representative sample of the wastes, contaminated media, treatment residue, or other waste to be analyzed must be the appropriate methods from Appendix I of 40 CFR Part 261, or the methods specified in the state-approved waste analysis plan, or an equivalent method approved by the Director. Laboratory methods must be those specified in *Test Methods for Evaluating Solid Waste: Physical/Chemical Methods* (SW-846, latest edition), *Methods for Chemical Analysis of Water and Wastes* (EPA 600/4-79-020), or an equivalent method, as specified in the referenced waste analysis plan. (40 CFR § 270.30(j)(1))
- **I.E.9.b** You must retain, at the facility, all records as specified in 40 CFR § 264.74.
- **I.E.9.c** You must submit all monitoring results at the intervals specified in this permit.
- **I.E.9.d** You must retain all reports, records, or other documents, required by this permit, and records of all data used to complete the application for this

(ILD 098 642 424) Page 5 of 17

permit, for a period of at least 3 years from the date of the reports, records, or other documents, unless a different period is specified in this permit. The 3-year period may be extended by request of the Director at any time and is automatically extended during the course of any unresolved enforcement action regarding this facility. (40 CFR §§ 270.30(j) and 270.31))

I.E.10 Reporting Planned Changes

You must notify the Director as soon as possible of any planned physical alterations or additions to the permitted facility. (40 CFR § 270.30(1)(1))

I.E.11 Reporting Anticipated Noncompliance

You must notify the Director, in advance, of any planned changes in the permitted facility or activity that may result in permit noncompliance. Advance notice will not constitute a defense for any noncompliance. (40 CFR § 270.30(1)(2))

I.E.12 Certification of Construction

Subject to the requirements of 40 CFR § 270.32(b)(2) and § 270.42 Appendix I, you must not operate any RCRA air emission control devices completed after the effective date of this permit until you have submitted to the Director, by certified mail or hand-delivery, a letter signed both by your authorized representative and by a registered professional engineer. That letter must state that the portions of the facility covered by this permit (including all air emission control devices required by this permit) have been constructed in compliance with the applicable conditions of this permit. In addition, you must not operate the permitted control devices until either:

- **I.E.12.a** The Director or his/her representative has inspected those portions of the facility and finds them in compliance with the conditions of the permit; or
- **I.E.12.b** The Director waives the inspection, if the inspection is not conducted within 30 days from the receipt of the certification.

I.E.13 Transfer of Permits

This permit is not transferable to any person, except after notice to the Director. You must inform the Director and obtain prior approval of the Director before transferring ownership or operational control of the facility (40 CFR § 270.42, Appendix I). Under 40 CFR § 270.40, the Director may require permit modification, or revocation and

(ILD 098 642 424)
Page 6 of 17

reissuance to change the Permittee's name and incorporate other RCRA requirements. Before transferring ownership or operation of the facility during its operating life, you must notify the Director and obtain prior approval and notify the new owner or operator in writing of the requirements of this permit and the requirements of 40 CFR Parts 264, 268, and 270. (40 CFR §§ 264.12(c), 270.30(1)(3), and 270.40(a))

I.E.14 Twenty-Four Hour Reporting

- **I.E.14.a** You must report to the Director any noncompliance with this permit that may endanger human health or the environment. Any such information must be promptly reported orally, but no later than 24 hours after you become aware of the noncompliance.
- **I.E.14.b** The report must include the following information (40 CFR §§ 270.30(1)(6) and 270.33): (1) release of any hazardous waste that may endanger public drinking water supplies; (2) release or discharge of hazardous waste; or (3) fire or explosion from the hazardous waste management facility, that could threaten the environment or human health outside the facility. You must include the following information:
- (1) Name, title and telephone number of the person making the report;
- (2) Name, address and telephone number of the facility;
- (3) Name, address and telephone number of owner or operator;
- (4) Date, time and type of incident;
- (5) Location and cause of incident;
- (6) Identification and quantity of material(s) involved;
- (7) Extent of injuries, if any;
- (8) Assessment of actual or potential hazards to the environment and human health outside the facility, where applicable;
- (9) Description of any emergency action taken to minimize the threat to human health and the environment; and
- (10) Estimated quantity and disposition of recovered material that resulted from the incident.

(ILD 098 642 424)
Page 7 of 17

I.E.14.c In addition to the oral notification required under Conditions I.E.14.a and I.E.14.b of this permit, a written report must also be provided within 5 calendar days after you become aware of the circumstances. The written report must include, but is not limited to, the following:

- (1) Name, address and telephone number of the person reporting;
- (2) Incident description (noncompliance and/or release or discharge of hazardous waste), including cause, location, extent of injuries, if any, and an assessment of actual or potential hazards to the environment and human health outside the facility, where applicable;
- (3) Period(s) in which the incident (noncompliance and/or release or discharge of hazardous waste) occurred, including exact dates and times;
- (4) Whether the incident's results continue to threaten human health and the environment, which will depend on whether the noncompliance has been corrected and/or the release or discharge of hazardous waste has been adequately cleaned up; and
- (5) If the noncompliance has not been corrected, the anticipated period for which it is expected to continue, and the steps taken or planned to reduce, eliminate, and prevent the recurrence of the noncompliance.

The Director may waive the requirement that written notice be provided within 5 calendar days; however, you will then be required to submit a written report within 15 calendar days of the day on which you must provide oral notice, in accordance with Conditions I.E.14.a and I.E.14.b of this permit. (40 CFR § 270.30(1)(6))

I.E.15 Other Noncompliance

You must report all instances of noncompliance not reported under Condition I.E.14 of this permit, when any other reports this permit requires are submitted. The reports must contain the information listed in Condition I.E.14. (40 CFR § 270.30(l)(10))

I.E.16 Other Information

I.E.16.a Whenever you become aware that you failed to submit or otherwise omitted any relevant facts in the permit application or other submittal, or submitted incorrect information in the permit application or other submittal, you must promptly notify the Director of any incorrect information or previously omitted information, submit the correct facts or information, and explain in

(ILD 098 642 424)
Page 8 of 17

writing the circumstances of the incomplete or inaccurate submittal. (40 CFR § 270.30(1)(11))

I.E.16.b All other requirements contained in 40 CFR § 270.30 not specifically described in this permit are incorporated into this permit and you must comply with all those requirements.

I.F SIGNATORY REQUIREMENT

You must sign and certify all applications, reports, or information this permit requires, or which are otherwise submitted to the Director, in accordance with 40 CFR § 270.11. (40 CFR § 270.30(k))

I.G REPORTS, NOTIFICATIONS AND SUBMITTALS TO THE DIRECTOR

Except as otherwise specified in this permit, all reports, notifications, or other submittals that this permit requires to be submitted to the Director should be sent by certified mail or hand-delivered to the U.S. Environmental Protection Agency, Region 5, at the following address:

Waste Management Branch, DW-8J Waste, Pesticides and Toxics Division U.S. EPA Region 5 77 West Jackson Boulevard Chicago, Illinois 60604

I.H CONFIDENTIAL INFORMATION

In accordance with 40 CFR Part 2 Subpart B, you may claim any information this permit requires, or is otherwise submitted to the Director, as confidential. You must assert any such claim at the time of submittal in the manner prescribed on the application form or instructions, or, in the case of other submittals, by stamping the words "Confidential Business Information" on each page containing such information. If you made no claim at the time of submittal, the Director may make the information available to the public without further notice. If you assert a claim, the information will be treated in accordance with the procedures in 40 CFR Part 2. (40 CFR § 270.12)

I.I DOCUMENTS TO BE MAINTAINED AT THE FACILITY

You must maintain at the facility, until closure is completed and certified by an independent registered professional engineer, the following documents and all amendments, revisions, and modifications to them.

(ILD 098 642 424) Page 9 of 17

I.I.1 Operating Record

You must maintain in the facility's operating record the documents required by this permit, and by the applicable portions of 40 CFR §§ 264.1035, 264.1064, 264.1084, 264.1088, 264.1089 and 40 CFR § 264.73 (as they apply to the equipment used to comply with this permit).

I.I.2 Notifications

You must maintain notifications from generators accompanying initial incoming shipment of wastes subject to 40 CFR Part 268 Subpart C, that specify treatment standards, as required by 40 CFR §§ 264.73, 268.7, and this permit.

I.I.3 Copy of Permit

You must keep a copy of this permit on site, including all the documents listed in any attachments, and you must update it as necessary to incorporate any official permit modifications.

I.J ATTACHMENTS AND DOCUMENTS INCORPORATED BY REFERENCE

- **I.J.1** All attachments and documents that this permit requires to be submitted, if any, including all plans and schedules are, upon the Director's approval, incorporated into this permit by reference and become an enforceable part of this permit. Since required items are essential elements of this permit, failure to submit any of the required items or submission of inadequate or insufficient information may subject you to enforcement action under Section 3008 of RCRA. This action may include fines, or permit suspension or revocation.
- **I.J.2** This permit also includes the documents attached hereto, all documents cross-referenced in these documents, and the applicable regulations contained in 40 CFR Parts 124, 260, 261, 262, 264, 268, 270, and the applicable provisions of RCRA, all of which are incorporated herein by reference.
- **I.J.3** Any inconsistency or deviation from the approved designs, plans and schedules is a permit noncompliance. The Director may grant written requests for extensions of due dates for submittals required in this permit.
- **I.J.4** If the Director determines that actions beyond those provided for, or changes to what is stated herein, are warranted, the Director may modify this permit according to procedures in Condition I.B of this permit.

(ILD 098 642 424)
Page 10 of 17

I.J.5 If any documents attached to this permit are found to conflict with any of the Conditions in this permit, the Condition will take precedence.

I.K COORDINATION WITH THE CLEAN AIR ACT

You must fully comply with all applicable Clean Air Act (CAA) and RCRA permit limits. Where two or more operating limitations apply, the most stringent operating limitations take precedence.

SECTION II -- LAND DISPOSAL RESTRICTIONS

You must comply with the following Conditions only to the extent that the parallel Conditions of the State-issued portion of the RCRA permit were not issued under the authority of RCRA.

II.A GENERAL CONDITIONS

- **II.A.1** You must comply with all the applicable self-implementing requirements of 40 CFR Part 268 and all applicable land disposal requirements which become effective by statute. (42 U.S.C. § 6924)
- **II.A.2** A mixture of any restricted waste with nonrestricted waste(s) is a restricted waste under 40 CFR Part 268.
- **II.A.3** Except as expressly allowed under 40 CFR Part 268, you must not in any way dilute a restricted waste or the residual from treatment of a restricted waste as a substitute for adequate treatment to achieve compliance with 40 CFR Part 268, Subpart D, to circumvent the effective date of a prohibition in 40 CFR Part 268, Subpart C, to otherwise avoid a prohibition in 40 CFR Part 268, Subpart C, or to circumvent a land disposal prohibition imposed by Section 3004 of RCRA.
- **II.A.4** You must maintain a current list of the EPA hazardous waste numbers handled by the facility that are identified in 40 CFR Part 268, Subparts B and C. The list must include all waste numbers handled by the facility, and any associated treatment standards, and shall be updated through the inclusion of new treatment standards, as promulgated or amended. This list must be provided to the U.S. EPA representatives, or their designees, upon request.

II.B TESTING AND RELATED REQUIREMENTS

II.B.1 In accordance with 40 CFR § 268.7(a), you must test any waste generated at the facility, or use knowledge of the waste, to determine if the waste is restricted from land disposal.

(ILD 098 642 424)
Page 11 of 17

II.B.2 You must comply with all applicable treatment standards provided in 40 CFR Part 268, Subpart D.

II.B.3 You must comply with all the applicable notification, certification, and recordkeeping requirements described in 40 CFR § 268.7(a) and (b).

II.C STORAGE PROHIBITIONS

- **II.C.1** You must comply with all the applicable prohibitions on storage of restricted wastes specified in 40 CFR Part 268, Subpart E.
- **II.C.2** Except as otherwise provided in 40 CFR § 268.50, you may store restricted wastes in tanks and containers solely for the purpose of the accumulation of such quantities of hazardous wastes as necessary to facilitate proper recovery, treatment, or disposal provided that:
 - **II.C.2.a** Each container is clearly marked to identify its contents and the date each period of accumulation begins; and
 - **II.C.2.b** Each tank is clearly marked with a description of its contents, the quantity of each hazardous waste received, and the date each period of accumulation begins, or such information for each tank is recorded and maintained in the operating record at the facility.
- **II.C.3** You may store restricted wastes for up to 1 year unless the U.S. EPA or its authorized agent can demonstrate that such storage was not solely for the purpose of accumulating such quantities of hazardous waste as are necessary to facilitate proper recovery, treatment, or disposal. (40 CFR § 268.50(b))
- **II.C.4** You may store restricted wastes beyond 1 year; however, you bear the burden of proving that such storage was solely for the purpose of accumulating such quantities of hazardous waste as are necessary to facilitate proper recovery, treatment, or disposal. (40 CFR § 268.50(c))
- **II.C.5** You must not store any liquid hazardous waste containing polychlorinated biphenyls (PCBs) at concentrations greater than or equal to 50 ppm unless the waste is stored in a storage facility that meets the requirements of 40 CFR § 761.65(b). This waste must be removed from storage and treated or disposed as required by 40 CFR Part 268 within 1 year of the date when such wastes are first put into storage. (40 CFR § 268.50(f))

II.D BLENDING OF METAL WASTES

(ILD 098 642 424)
Page 12 of 17

You must not dilute metal-bearing wastes (listed in Appendix XI of 40 CFR Part 268), if the diluted waste will be used as fuel in any RCRA permitted combustion facility, unless you have demonstrated that the diluted waste complies with one or more of the criteria specified in 40 CFR § 268.3(c).

SECTION III -- OTHER FEDERAL RCRA REQUIREMENTS

III.A ADDITIONAL HAZARDOUS WASTE NUMBERS

In addition to the hazardous waste numbers listed in the state-issued portion of the RCRA permit, you may handle the newly listed hazardous wastes, promulgated under the HSWA, at your facility only if you have processed a Class 2 permit modification in accordance with 40 CFR § 270.42(g) and approved by the Director. All handling of these wastes must comply with the applicable provisions of both the state-issued portion and the federally-issued portion of the RCRA permit.

SECTION IV—AIR EMISSIONS STANDARDS (40 CFR Part 264, Subpart CC)

IV.A CONTAINERS AND TANKS

You must comply with all applicable requirements of 40 CFR § 264.1080 through 40 CFR § 264.1090, regarding air emission standards for containers and tanks handling hazardous waste. All containers and tanks not exempt from 40 CFR Part 264, Subpart CC must be managed using Level 1 control or Level 2 control as appropriate. You must not manage hazardous waste in containers or tanks which require Level 2 control. You must not conduct any waste stabilization process, as defined in 40 CFR § 265.1081, in containers and tanks.

IV.A.1 Waste Determination

In accordance with the procedures specified in 40 CFR § 264.1083, you must determine the average volatile organic (VO) concentration of: (1) generated hazardous waste at the point of origination, and (2) treated hazardous waste. You must determine the maximum organic vapor pressure of a hazardous waste.

IV.A.2 Requirements for Level 1 Containers

You must manage hazardous waste with a VO concentration of 500 parts per million and greater by weight (ppmw) in containers with Container Level 1 standards as stipulated under 40 CFR § 264.1086(c). The hazardous waste stored in Level 1 containers must meet the following requirements.

(ILD 098 642 424)
Page 13 of 17

IV.A.2.a Containers with a design capacity equal to or greater than 0.46 m³ (122 gallons) shall not be used in light material service as defined in 40 CFR § 265.1081.

IV.A.2.b A Level 1 container must:

- (1) meet the applicable U.S. Department of Transportation (DOT) regulations as specified in 40 CFR § 264.1086(f),
- (2) be equipped with a cover and closure devices with an acceptable tightness and construction materials in accordance with 40 CFR § 264.1086(c)(1)(ii), or
- be an open-top container with organic vapor suppressing barrier to prevent hazardous waste from being exposed to the atmosphere as specified in 40 CFR § 264.1086(c)(1)(iii).

Containers, which meet the requirements of IV.A.2.b(2) or (3), must be equipped with covers and enclosures suitable for the physical and chemical characteristics of hazardous waste in containers, maintaining container integrity throughout the life of the container, and the environments under which the containers are placed in the storage facility. Any chemical used for vapor suppression must not generate heat and/or fume and must be compatible with the hazardous waste in the container. Vapor suppression chemicals must act as an acceptable and stable barrier to the hazardous waste, thus preventing releases of VOCs into the environment. The barrier shall not chemically react to the hazardous waste. 40 CFR § 264.1086(c)(2)

IV.A.2.c All covers and closure devices must be in closed position whenever hazardous waste is in a container. Opening of a closure device or cover is allowed if it meets the purpose and operates as defined in 40 CFR § 264.1086(c)(3)(i) through (v).

IV.A.2.d You must inspect the containers and their covers and closure devices in accordance with 40 CFR § 264.1086(c)(4).

IV.A.3 Requirements for Level 1 Tanks

Each tank storing hazardous waste with a VO concentration equal or greater than 500 ppmv must comply with the following:

IV.A.3.a The design capacity of each tank must be less than 75 m³ and the maximum vapor pressure, as determined by 40 CFR § 264.1084(c)(2), must be less than 76.6 kPa.

(ILD 098 642 424)
Page 14 of 17

IV.A.3.b The hazardous waste in the tank should not be heated to a temperature that is greater than the temperature at which the maximum vapor pressure of 76.6 kPa is determined.

IV.A.3.c The hazardous waste in the tank should not be treated by any waste stabilization process as defined in 40 CFR § 265.1081.

You must comply with Level 1 control requirements in accordance with 40 CFR § 264.1084. Each tank must be a fixed roof design complying with the following specifications:

- **IV.A.3.d** The fixed roof tank shall be of butt and/or lap welded construction throughout and shall be hydraulically and/or air tested to the maximum working pressure without leaks.
- **IV.A.3.e** The tank closure devices must be designed and constructed to form a continuous barrier over the entire surface area of the hazardous waste in the tank. Gaskets used for closure devices or piping systems shall be of suitable materials compatible with the hazardous wastes and shall be in accordance with good engineering practices.
- **IV.A.3.f** Each opening in the fixed roof and any manifold system associated with the fixed roof shall be either:
- (1) equipped with a closure device designed to operate such that when the closure device is secured in the closed position there are no visible cracks, holes, gaps, or other open spaces in the closure device or between the perimeter of the opening and the closure device, or
- (2) connected by a closed-vent system that is vented to a control device. (40 CFR § 264.1084(c)(2)(iii))

The control device shall remove or destroy organics in the vent stream, and shall be operating whenever hazardous waste is managed in the tank, except during periods when it is necessary to provide access to the tank for performing routine inspections, maintenance, or other activities needed for normal operations, and for removal of accumulated sludge or other residues from the bottom of the tank.

IV.A.3.g Whenever a hazardous waste is in the tank, all openings (e.g., manholes, instruments connections, pipe nozzles) must be securely closed to prevent releases of vapors into the atmosphere, except for routine inspections, and maintenance. (40 CFR § 264.1084(c)(3))

(ILD 098 642 424)
Page 15 of 17

IV.A.3.h You must inspect, at least once per year, or retest the tanks to ascertain that the air emissions from the tank systems comply with the design and with the requirements stipulated in 40 CFR § 1084(c)(4).

IV.A.3.i You must obtain an approval from the Director, if you plan to operate or to modify the tank systems to comply with Level 2 control.

IV.A.4 Containers and Tanks Exempt From Subpart CC Control Standards

- **IV.A.4.a** Under this permit, you must demonstrate by direct measurement or approved method that for each container and tank you claim to be exempt under Subpart CC, the average VO concentration for hazardous waste, determined in accordance with 40 CFR §§ 264.1083(a) and 265.1084(a)(2) and (3), is less than 500 ppmw.
- **IV.A.4.b** For each tank and container, you must review and update this determination in accordance with 40 CFR § 264.1082(c)(1) at least once every 12 months following the date of the initial determination. For each container and tank, you must prepare and maintain the records described in 40 CFR § 264.1089(f). These records must be maintained as part of the operating record.

IV.A.5 Closed vent system and control devices (Carbon Absorption)

- **IV.A.5.a** The closed vent systems and control devices shall comply with the requirements in 40 CFR §§264.1087and 264.1033.
- **IV.A.5.b** The Carbon Absorption System shall have a minimum availability of 95%, including downtime for routine maintenance.
- **IV.A.5.c** The Carbon Absorption System shall have a minimum removal efficiency of 95% in accordance with 40 CFR §264.1033(c).
- **IV.A.5.d** The Carbon Absorption System shall be monitored each day by a flame ionization detector that the units are in operating and procedures referenced in method 21 (40 CFR part 60).
- **IV.A.5.e** After the Carbon Absorption System beds are spent, the spent carbon must be shipped to a RCRA permitted TSD facility for regeneration and/or disposal. All carbon removed from the control devices shall be handled as a hazardous waste.
- **IV.A.5.f** The close vent system shall not include any bypass devices that could be used to divert the gas or vapor stream to the atmosphere before entering the control device.

(ILD 098 642 424)
Page 16 of 17

IV.B REQUIREMENTS FOR MISCELLANEOUS UNITS (40 CFR Part 264, Subpart X)

IV.B.1 Operations of Drum and Labpack Glove Boxes

The drum and labpack glove boxes must be maintained and operated as follows:

- **IV.B.1.a** The glove box system shall consist of a material handling conveyor, an enclosed glove box, an enclosed labpack glove box, inert gas system, an induced draft (ID) fan, and a flame arrestor. The ID draft fan must have an adequate capacity and discharge head (static pressure) to induce air through the exhaust hood and the glove box. The ID fan discharge must be incinerated in the permitted on-site incinerator (Unit No. 3).
- **IV.B.1.b** The drum and labpack glove boxes must be operated under: (1) ventilation mode with the ID fan on and the air intakes opened, or (2) inerting mode with the ID fan off and the air intakes closed.
- **IV.B.1.c** Under the ventilation mode or inerting mode, the globe box must be maintained at a slightly negative pressure and monitored through a pressure indicator.
- **IV.B.1.d.** Under the inerting mode, the glove box must be filled with an inert gas or gases to maintain an oxygen deficient condition of less than 5 % oxygen and monitored for its oxygen concentration through an oxygen analyzer. The drum and/or labpack glove box shall not be operated under the ventilation or inerting mode when Unit No. 3 incinerator is down.
- **IV.B.1.e** You must have a standard operating procedures in place to prevent any hazards which may result from the operations of the drum glove box.

IV.B.2 Recordkeeping and Reporting Requirements

You must comply with the recordkeeping and reporting requirements of 40 CFR §§ 264.1089 and 264.1090.

(ILD 098 642 424) Page 17 of 17

DW-8J:BLOUGH:jb:10/21/02:886-2967:J.BLOUGH DISK

WASTE MANAGEMENT BRANCH

SECRETARY	SECRETARY	SECRETARY	SECRETARY
TYPIST/ AUTHOR	TECH.SUPP/ PERMITS SECTION CHIEF	POL.PREV.& SPEC.INTIV SEC. CHIEF	WMB BRANCH CHIEF

file:c:onxy draft 4-26-03